Clean Delete




Simson L. Garfinkel Center for Research on Computation and Society Harvard University March 29, 2006

Aligning Security & Usability.

There are two main approaches to this work:

- ✗ Work on authentication
- × Work on new interfaces.
 - biometrics
 - better passwords
 - anti-phishing




Cranor & Garfinkel, 2005

A different approach to Usability & Security:

- Revisit underlying models and mechanisms to make systems inherently more secure and usable.
 - Secure Messaging
 - Data Sanitization
- Finding the best ideas and trying to put them all in one place.
- Convince vendors to incorporate these ideas into their products.

Johnny 2: Making Secure Email Easy with S/MIME and Key Continuity Management (KCM)

- Stream a transparent PGP proxy.
- Survey of Amazon.com merchants receiving S/MIME-signed messages.
- Design of KCM plug-in for Outlook Express.
- User-test of KCM in a realistic attack scenario.



Conclusion: organizations should be sending S/MIME-signed mail.

Clean Delete: Hiding Data Is Not Good Enough!




The drives Project



The Traceback Study





Data Sanitization: What's on this computer?



Purchased for \$10 in 1998 from a retail computer store.

Hidden information is a widespread Usability/Security problem today.





Lawfirm ServerUSB driveImage: Distance of the server of t


There are roughly a dozen documented cases of people purchasing old PCs and finding sensitive data.

- A woman in Pahrump, NV bought a used PC with pharmacy records [Markoff 97]
- Pennsylvania sold PCs with "thousands of files" on state employees [Villano 02]
- Paul McCartney's bank records sold by his bank [Leyden 04]
- O&O Software GmbH 100 drives.[O&O 04]
- O&O Software GmbH 200 drives.[O&O 05]



None of these are scientifically rigorous studies.

This is a huge problem: 210 million drives were retired in 2005!



There is a significant market for used disk drives.

Retired drives are:

- Re-used within organizations
- Given to charities
- Sold at auction





All Categories Save this search 350 items found for hard drives Sort by items: ending first <u>newly listed lowest priced highest priced</u>						
Picture	Item Title	Price	Bids	Time Left		
đ	Lot of hard and floppy drives	\$5.50	2	14n		
đ	Lot of hard and floppy drives	\$5.50	2	22n		
đ	Lot of hard and floppy drives	\$5.50	2	25s		
1	Lot of 2 hard drives IDE	\$8.00	12	29n		
	3.2 gig Hard Drives	\$180.00		59a		
1	(5) 1.2 hard drives & (15) 10/100 network	\$25.00	1	1h 00n		
	Lot of 3 Quantum 9.1 gig SCSI Hard Drives	\$26.00	6	1h 25o		
	IDE HARD DRIVES (3)	\$6.50	6	1h 46n		
đ	LOT OF 5 Hard Drives! 3.2 Gig Western Digital	\$120.00 \$124.95	By tku	1h 50n		
	QTY 3 IDE Hard Drives 2.5 Gg	\$20.50	5	2h 02n		
đ	5 WESTERN DIGITAL 2.5 GIG HARD DRIVES	\$30.00	4	2h 03n		
	QTY 3 IDE Hard Drives 1.0 Gig	\$9.99	1	2h 04n		
	Western Digital 850 meg IDE Hard Drives dutch	\$6.00	1	2h 57n		
	WINDOWS	1	\$6.00	- 3h 18n		

About 1000 used drives/day sold on eBay.

In 1998 I decided to start purchasing hard drives on the secondary market.





2001: 100 drives



2005: 500 drives

2003: 150 drives




2006: 950 drives

[Garfinkel & Shelat 03] established the scale of the problem.

With 150 hard drives purchased on eBay we found:

- Thousands of credit card numbers
- Financial records
- Medical information
- Trade secrets
- Highly personal information



We did not determine why the data had been left behind.

There are three primary techniques for assuring data confidentiality.

- 1. Physical security.
- 2. Logical access controls. (operating system)
- 3. Cryptography (disk & link)

These techniques don't work when a disk is thrown out or repurposed.

- 3. Cryptography (disk & link)
- 4. (Physical destruction)

Most people don't encrypt their data.

FORMAT C: doesn't erase the hard drive.

C:\WINDOWS\system32\cmd.exe - format c:

C:∖>format c: The type of the file system is NTFS.

WARNING, ALL DATA ON NON-REMOUABLE DISK DRIVE C: WILL BE LOST! Proceed with Format (Y/N)?

FORMAT just writes a new root directory.

DEL doesn't delete files

C:\WINDOWS\system32\cmd.exe

C:\tmp>dir Volume in drive C has no label. Volume Serial Number is 1410-FC4A Directory of C:\tmp 10/15/2004 09:20 PM <DIR> 09:20 PM <DIR> 10/15/2004 10/03/2004 11:34 AM 27,262,976 big_secret.txt 1 File(s) 27,262,976 bytes 2 Dir(s) 4,202,078,208 bytes free C:\tmp>del big_secret.txt C:∖tmp>dir Volume in drive C has no label. Volume Serial Number is 1410-FC4A Directory of C:\tmp 10/15/2004 09:22 PM <DIR> 09:22 PM 10/15/2004 <DIR> Ø File(s) 0 bytes 4,229,296,128 bytes free 2 Dir(s) C:\tmp>_

DEL simply removes the file's name from the directory.

Drives arrive by UPS and USPS



Drives are imaged with aimage and stored in AFF format.



http://www.afflib.org

Images stored on external firewire drives



900GB of storage holds 800 hard drive images

Example: Disk #70: IBM-DALA-3540/81B70E32

Purchased for \$5 from a Mass retail store on eBay Copied the data off: 541MB

Initial analysis:

Total disk sectors:	1,057,392
Total non-zero sectors:	989,514
Total files:	3

The files:


drwxrwxrwx	0 root	0 Dec 31	1979 ./
-r-xr-xr-x	0 root	222390 May 11	1998 ID.SYS
-r-xr-xr-x	0 root	9 May 11	1998 MSDOS.SYS
-rwxrwxrwx	0 root	93880 May 11	1998 COMMAND.COM

Clearly, this disk had been FORMATed...

C:\WINDOWS\system32\cmd.exe - format c:

C:\>format c: The type of the file system is NTFS.

WARNING, ALL DATA ON NON-REMOUABLE DISK DRIVE C: WILL BE LOST! Proceed with Format (Y/N)?



Windows FORMAT didn't erase the disk... FORMAT just wrote a new root directory.

UNIX "strings" reveals the disk's previous contents...

Insert diskette for drive and press any key when ready Your program caused a divide overflow error. If the problem persists, contact your program vendor. Windows has disabled direct disk access to protect your lo To override this protection, see the LOCK /? command for m The system has been halted. Press Ctrl+Alt+Del to restart You started your computer with a version of MS-DOS incompa version of Windows. Insert a Startup diskette matching thi

OEMString = "NCR 14 inch Analog Color Display Enchanced SV Graphics Mode: 640 x 480 at 72Hz vertical refresh. XResolution = 640 YResolution = 480 VerticalRefresh = 72

70.img con't...

ling the Trial Edition

IBM AntiVirus Trial Edition is a full-function but time-li evaluation version of the IBM AntiVirus Desktop Edition pr may have received the Trial Edition on a promotional CD-RC single-file installation program over a network. The Tria is available in seven national languages, and each languag provided on a separate CC-ROM or as a separa EAS.STCm

EET.STC

ELR.STCq

ELS.STC

70.img con't...

MAB-DEDUCTIBLE MAB-MOOP MAB-MOOP-DED **METHIMAZOLE** INSULIN (HUMAN) COUMARIN ANTICOAGULANTS CARBAMATE DERIVATIVES AMANTADINE MANNITOL MAPROTILINE CARBAMAZEPINE CHLORPHENESIN CARBAMATE ETHINAMATE FORMALDEHYDE MAFENIDE ACETATE

Data left behind in computer systems is a serious social problem.

Large numbers of drives are being sold and given away.

Many of them appear to have hidden confidential information.





Computer Science is morally obligated to solve this problem!

To be effective, a solution must address the root cause

Usability Problem:


- Effective audit of information present on drives.
- Make DEL and FORMAT actually remove data. [Bauer & Priyantha 01]
- Provide alternative strategies for data recovery.

Education Problem:

- Add training to the interface. [Whitten 04]
- Regulatory requirements. [FTC 05, SEC 05]
- Legal liability.


To find that cause, I looked on the drives and contacted the data subjects.

Data on a hard drive is arranged in sectors.




The white sectors indicate directories and files that are visible to the user.

Data on a hard drive is arranged in sectors.




The brown sectors indicate files that were deleted.


Data on a hard drive is arranged in sectors.



The green sectors indicate sectors that were never used (or that were wiped clean).

Stack the disk sectors:






•

NO DATA: The disk is factory fresh.


All Blocks are Zero

.


FORMATTED: The disk has an empty file system



AFTER OS INSTALL: Temp. files have been deleted




AFTER A YEAR OF SERVICE




DISK NEARLY FULL!


.




FORMAT C:\ (to sell the computer.)



We can use forensics to reconstruct motivations:




Drives I collected 1998-2003 are dominated by failed sanitization attempts...



..but training failures are also important.

But what *really* happened?



I needed to contact the original drive owners.

The *Remembrance of Data Passed Traceback Study.* [Garfinkel 05]

- 1. Find data on hard drive
- 2. Determine the owner
- 3. Get contact information for organization
- 4. Find the right person *inside* the organization
- 5. Set up interviews
- 6. Follow guidelines for human subjects work

06/19/1999 /:dir216/Four H Resume.doc
03/31/1999 /:dir216/U.M. Markets & Society.doc
08/27/1999 /:dir270/Resume-Deb.doc
03/31/1999 /:dir270/Deb-Marymount Letter.doc
03/31/1999 /:dir270/Links App. Ltrdoc
08/27/1999 /:dir270/Resume=Marymount Udoc
03/31/1999 /:dir270/NCR App. Ltrdoc
03/31/1999 /:dir270/Admissions counselor, NCR.doc
08/27/1999 /:dir270/Resume, Deb.doc
03/31/1999 /:dir270/UMUC App. Ltrdoc
03/31/1999 /:dir270/Ed. Coordinator Ltrdoc
03/31/1999 /:dir270/American Collegedoc
04/01/1999 /:dir270/Am. U. Admin. Dirdoc
04/05/1999 /:dir270/IR Unknown Lab.doc
04/06/1999 /:dir270/Admit Slip for Modernism.doc
04/07/1999 /:dir270/Your Honor.doc

This was a lot harder than I thought it would be.

Ultimately, I contacted 20 organizations between April 2003 and April 2005.



The leading cause: betrayed trust.

Trust Failure: 5 cases

- ✓ Home computer; woman's son took to "PC Recycle"
- Community college; no procedures in place
- Church in South Dakota; administrator "kind of crazy"
- Auto dealership; consultant sold drives he "upgraded"
- ✓ Home computer, financial records; same consultant

This specific failure wasn't considered in [GS 03]; it was the most common failure.

Second leading cause: Poor training and supervision

Trust Failure: 5 cases

Lack of Training: 3 cases

- California electronic manufacturer
- Supermarket credit-card processing terminal
- ✓ ATM machine from a Chicago bank

Alignment between the interface and the underlying representation would overcome this problem.

Sometimes the data custodians just don't care.

Trust Failure: 5 cases Lack of Training: 3 cases

Lack of Concern: 2 cases

- Bankrupt Internet software developer
- ✓ Layoffs at a computer magazine

Regulation on resellers might have prevented these cases.

In seven cases, no cause could be determined.


Trust Failure: 5 cases Lack of Training: 3 cases Lack of Concern: 2 cases

Unknown Reason: 7 cases

- ✗ Bankrupt biotech startup
- X Another major electronics manufacturer
- **X** Primary school principal's office
- ✗ Mail order pharmacy
- ✗ Major telecommunications provider
- X Minnesota food company
- **X** State Corporation Commission

Regulation might have helped here, too.

I have identified five distinct patterns for addressing the sanitization problem.




Document Files, Applications, and Media

Naming these patterns is the first step to deployment.

The power of these patterns is that they apply equally well to other sanitization problems.

Document Files




• Web Browsers


3				
🤨 🚈 MIT WebMail - Microsoft Internet	Explorer - [Working Offlin	e]		
File Edit View Favorites Tools H	lelp		A *	<u></u>
🤆 🌀 Back 🝷 🐑 - 💌 🖻 🏠	🔎 Search 👷 Favorites	🕝 🍰 🎍 🗷 • 🗔 🛍 🥸		
Address 🍓 https://webmail.mit.edu/horde/	imp/folders.php	🗹 🗹	Go Links »	ogle • 🛛 💙
Google -	🐞 Search Web 🔹 🦚 🗧	🗅 O blocked 🛛 🗄 AutoFill 🛛 💽 Options 🥒		Size Expires 🔥
MIT WebMail				41 KB None
An email service from Information	on Services & Technology			66 KB None
	an och nees a reennology	·		53 KB None
🖏 👳	N 18	. , 7 - ,	🧀 🗖	26 KB None 17 KB None
INBOX Empty Trash Compos	e Folders Options Sea		n Folder	17 KB None
8 L				17 KB None
k P	box quota: 175.84MB Used / 24	A 1 AMD Total (72 020)		24 KB None
	Jox quota: 170.84MB USe01 24	(4.14mb Total (72.02%)		20 KB None
Folder Navigator 🌻				: 35 KB None 👝
Choose Action:	?	Expand All Collapse All	# 🖂	26 KB 4/24/2005 5:58
	•		_	4 KB 4/24/2005 4:58
		1	367 0	38 KB None
C S ACF				66 KB None
C S ACF				: 84 KB 4/26/2005 5:58 29 KB None
Home				5 KB None
				12 KB None
				33 KB 4/24/2005 5:20
□ - S sent				27 KB 4/24/2005 5:21
L I S≫ sent				36 KB 4/24/2005 5:21
Student House				36 KB 4/24/2005 5:21
1				26 KB 4/24/2005 5:21
🗖 🕂 🧐 Ultimate				35 KB 4/24/2005 5:21
webmail-trash				24 KB 4/24/2005 5:21
Work				17 KB NUTIS
L : S Work				
Choose Action:	<mark>∼</mark> ?	Expand All Collapse All	# 🖂	
ê		🗝 🔒 🔮 Internet		
start Mit WebMail - Micros	Temporary Internet F	👹 ló1 - Paint		1 💀 🔬 🏹 🤇
and worker motor.		9		

Information is left in document files.

- The *New York Times* published a **PDF file** containing the names of Iranians who helped with the 1953 coup. [Young 00]
- US DoJ published a **PDF file** "diversity report" containing embarrassing redacted information. [Poulsen 03]
- SCO gave a Microsoft Word file to journalists that revealed its Linux legal strategy. [Shankland 04]
- Multinational forces in Iraq published classified information about insurgency methods.



Word's highlight feature is literally a threat to national security.



UNCLASSIFIED

easy to emplace by staging equipment in vehicles or near overpasses, and, in a matter of minutes, having the IED armed and in the desired location.

- (S//NF) Explosives wrapped in a brown paper bag or a plastic trash bag. This is a particularly easy method of concealment, easy to emplace, and has been used effectively against Coalition Forces and civilians along Route Irish.
- (S//NF) Explosives set on a timer. This technique is new to the Route Irish area, but is being seen more frequently.
- (S//NF) Use of the median. The 50 meter wide median of Route Irish
 provides a large area for emplacing IEDs. These can be dug in, hidden, and/or
 placed in an animal carcass or other deceptive container.
- (S//NF) Surface laid explosives. The enemy will drop a bag containing the
 explosive onto the highway and exit the area on an off-ramp with the
 detonation occurring seconds or minutes later depending on the desired time
 for the explosion.
- (S//NF) Explosives on opposite sides of the median. Devices have been found along both sides of the median that were apparently designed to work in tandem, to counter Coalition Force tactics to avoid the right side of the highway while traveling Route Irish.
- (S//NF) Explosives hidden under the asphalt. Insurgents pretend to do work
 on the pavement, plant the explosives, and repair the surface. These are
 usually remote-detonated devices.

3. (U) Insurgent TTPs for VBIEDs

(U) There are two basic types of car bombs, i.e., suicide (where the car is moving) and stationary (where the car is parked). Both can be either command or remote-detonated. (Annex 8E).

(S//NF) The enemy is very skillful at inconspicuously packing large amounts of explosives into a vehicle. The most commonly used detonation materials are plastic explosives and 155mm artillery shells. When moving, these VBIEDs are practically impossible to identify until it is too late. (Annex 8E).

(U) The techniques for employing VBIEDs continue to evolve. Some of the more commonly used techniques include:

6

UNCLASSIFIED

NSA recently published a "how to sanitize" guide.

Microsoft has tried to solve this problem with its "Remove Hidden Data" tool.

8	Remove Hidd	en Data		×
		Data creates a new version of your document without comments, revisions, file prop ght not want others to see. You should only use this feature when you are ready t	•	
	Enter a file name	for the new version of your document.		
	File name:		Browse	
	Recommended: U its original name.	Jse a different file name from the source file name. The source file will save in its or	iginal state with	
	Cancel		Next >	

Microsoft has tried to solve this problem with its "Remove Hidden Data" tool.


8	Remove Hidden Data	
		cument without comments, revisions, file properties, or other d only use this feature when you are ready to publish your
	Enter a file name for the new version of your document	t.
	File name:	Browse
	Recommended: Use a different file name from the sour its original name.	ce file name. The source file will save in its original state with
		🖳 Remove Hidden Data
	Cancel	Remove Hidden Data is automatically checking for hidden data.
		Checking Done!
		Click Finish to close this document and display a log file of results.
		WARNING: If you open this file for further edits, you will need to run this tool again to remove additional hidden data.
		Cancel

Microsoft has tried to solve this problem with its "Remove Hidden Data" tool.

🛋 Remove Hidden Data				
Remove Hidden Data creates a new vers data that you might not want others to s document.		ments, revisions, file properties, or other ure when you are ready to publish your		
Enter a file name for the new version	Remove Hidden Data			
File name:	Remove Hidden Data is automati	cally checking for hidden data.		
Recommended: Use a different file na its original name.	Checking		Done!	
Cancel	Click Finish to close this documen	· · · · ·		
	WARNING: If you open this file f data.	Rhd2.log - Notepad		
	Cancel	File Edit Format View Help V:\current\Blast_Notes.doc scanned at a Personal summary information found and Different revisions of document not for comments not found.	ason: If the "Trust Acces	s to Visual Basic Project" security setting is
				<u>></u>
				Ln 1, Col 1

My patterns predict that Microsoft's tool will fail.

The information leaks because two patterns were not implemented.



Document Files, Applications, and Media

Current agenda: getting vendors to implement these patterns.

Cross Drive Analysis: Applying to tools of [Garfinkel '05] to computer forensics.

Today's forensics tools:

- Interactive user interface.
- Recovery of "deleted" files.
- Child porn scanning.
- Trial preparation.
- Focus on one disk at a time.

🗠 Cases 🛕 Text Style	s ×	1		ery 🎯 Timeline 🔎 D				
🔍 Search Hits 📄 Ema	il 🛞 History 🛔 🖡		Name	From	To	Subject	Sent	Header
Attachmen	ts	1	Are you being naug		wmfiske@adelphia.net			Return-Path: <
		2			wmfiske@adelphia.net		10/08/03 02:26:57PM	Return-Path: <
PST Volume		3	🖻 н		wmfiske@adelphia.net		10/24/03 10:43:12PM	Return-Path: <
		4	Meeting this weekend				10/24/03 10:42:26PM	Return-Path: <
-D 🔂 Calen	dar	5			wmfiske@adelphia.net		10/25/03 12:14:09AM	Return-Path: <
-D 🗋 Conta	acts	6	🔄 Re: Are you availab					Return-Path: <
-D 🗋 🛅 Deleti	ed Items	7	Welcome to Yahoo!	geo-civics@yahoo-inc.	.wmfiske@adelphia.net	Welcome to Yahoo! Ge	10/08/03 09:40:28AM	Return-Path: <
-D 🗁 Inbox		8	Welcome to Yahoo!	Yahoo! Member Servic	wmfiske@adelphia.net	Welcome to Yahoo! Ple	10/08/03 09:23:14AM	Return-Path: <
-DC Conserver		<						
			ile 📷 Details 🔲 Lock 🔽					
From: To:	Santa Claus wmfiske@ade Are you being 10/25/03 12:3	naug	ghty? AM	am\l ocal Settin	as\Application			E
Subject: Sent: Folder: EntryPath:		ft\Outl	s and Settingswinn look\Outlook.pst\PS /ou being naughty?			rsonal		
Sent: Folder:	Fiske\C\Docur Data\Microsof	ft\Outl	look\Outlook.pst\PS			rsonal		
Sent: Folder: EntryPath:	Fiske\C\Docur Data\Microsof	ft\Outl	look\Outlook.pst\PS			rsonal		
Sent: Folder: EntryPath:	Fiske\C\Docur Data\Microsof	ft\Outl	look\Outlook.pst\PS			rsonal		

Today's tools choke when confronted with hundreds of disks.

- Has this drive been imaged?
- Which drives belong to my target?
- Do any drives belong to my target's associates?
- Where should I start?



But a large police department or small intelligence mission can generate thousands of disks...

New intelligence capabilities can be enabled by correlating information from multiple drives.

- Which drives were used by the target organization?
- What names/places/email addresses are in common?
- Which drives were used at a place or time of interest?



Single-Drive Statistical Techniques

Example problem: Who owned this disk drive?

Approach #1: Find Microsoft Word files; determine owner.

- Needs forensic skill.
- Requires complete documents.

Approach #2: Compute a histogram of all email addresses.

- Works with any file system.
- Works with incomplete data.

The email histogram works even if you can't find any files.

The email histogram approach works quite well.


Drive #51: Top email addresses (sanitized)

Count Address(es)

- 8133 ALICE@DOMAIN1.com
- 3504 BOB@DOMAIN1.com
- 2956 ALICE@mail.adhost.com
- 2108 JobInfo@alumni-gsb.stanford.edu
- 1579 CLARE@aol.com
- 1206 DON317@earthlink.net
- 1118 ERIC@DOMAIN1.com
- 1030 GABBY10@aol.com
 - 989 HAROLD@HAROLD.com
 - 960 ISHMAEL@JACK.wolfe.net
 - 947 KIM@prodigy.net
 - 845 ISHMAEL-list@rcia.com
 - 802 JACK@nwlink.com
 - 790 LEN@wolfenet.com
 - 763 natcom-list@rcia.com

(Can we automatically sanitize this kind of information?)

"First Order Cross-Drive Analysis" analyzes each drive with a filter.



Drives with high response warrant further attention.

Example: The Credit Card Number Detector.

The CCN detector scans bulk data for ASCII patterns that look like credit card numbers.

- CCNs are found in certain typographical patterns.
 - (e.g. XXXX-XXXX-XXXX-XXXX
 - or XXXX XXXX XXXX XXXX
- CCNs are issued with well-known prefixes.
- CCNs follow the Credit Card Validation algorithm.
- Certain numeric patterns are unlikely. (e.g. 4454-4766-7667-6672)

CCN detector: written in flex and C++

Scan of disk #105: (642MB)

Test	# pass
typographic pattern	3857
known prefixes	90
CCV1	43
numeric histogram	38

Sample output:

'CHASE NA 5422-4128-3008-3685	pos=13152133
'DISCOVER 6011-0052-8056-4504	pos=13152440
.'GE CARD 4055-9000-0378-1959	pos=13152589
BANK ONE 4332-2213-0038-0832	pos=13152740
.'NORWEST 4829-0000-4102-9233	pos=13153182
'SNB CARD 5419-7213-0101-3624	pos=13153332

Even with the tests, there are occasional false positives.

CCN scan of Disk #115: (772MB)

Test	# pass
pattern	9196
known prefixes	898
CCV1	29
patterns	27
histogram	13

@: 4444486666108 :<@<74444:@@@<<44	pos=82473275
#"&'&&' 445447667667667 050014&'4"1"&'.	pos=86493675
$\dots 221267241667\& 454676676654450 \&566746566726322.$	pos=86507818
330210212676677 30232676630232 .1001.01	pos=86516059
"&#&&`&41&&`645445& 454454672676632 .3	pos=86523223
".#""#"&' 445467667227023	pos=87540819
D#9?.32400.,,+14%?B 499745255278101 *02)46+;<17756669	pos=118912826
.GGJJB>.JJGGG 3534554333511116 6	pos=197711868
%}}}}} 44444322233345 }}}}	pos=228610295
%6"!) .&*%,,%-0)07. 373484553420378 <67<038+.5(+0+.3.	pos=638491849
%6"!) .&*%,,%-0)07. 373484553420378 <67<038+.5(+0+.3.	pos=645913801

Results of scanning 2003 corpus with CCN scanner:

Total number of image files:Number of CCNs found:4Total number of distinct cards:1Most popular CCN6

178 47,771 15,613 6404 6521 6029 6650

(Seen 34 times on 30 drives)

Context analysis shows this is not a valid CCN:

[6]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 1 -138
[7]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 1 -138
[8]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[10]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[11]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[11]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[15]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[18]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[18]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[24]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 l -138
[25]	6213 1 6758	6367	6404	6521	6029	6650	v	6025	6646 1 -138

A "stop list" can be used for these common number.

Ignore "6404 6521 6029 6650' and we repeat the experiment:

Total number of image files: Number of CCNs found: Total number of distinct cards 15,612 (was 15,613) New "most popular CCN"

178 47,737 (was 47,771) 5501 8501 3501 3705 (Seen 35 times on 27 drives)

Once again, this does not appear to be a valid CCN:

[14]	3201	4901	:	5501	8501	3501	3705	$5102yes.%d\Off$
[112]	3201	4901	:	5501	8501	3501	3705	5102yes.%d\Off
[121]	3201	4901	:	5501	8501	3501	3705	5102 yes.%d\Off
[128]	3201	4901	:	5501	8501	3501	3705	5102 yes.%d\Off
[133]	3201	4901	:	5501	8501	3501	3705	5102 yes.%d\Off
[181]	3201	4901	:	5501	8501	3501	3705	5102 yes.%d\Off
[182]	3201	4901	:	5501	8501	3501	3705	5102 13505yes.
[184]	3201	4901	:	5501	8501	3501	3705	5102 13505yes.
[186]	3201	4901	:	5501	8501	3501	3705	5102 13505yes.


There are several problems with the "stop list" approach:

The list must be:

- Constructed.
- Maintained.
- Tuned for different applications.


Building a "stop list" requires judgement and patience.

An alternative is to assume that "false positives" are rare and focus on those drives with high response.




By definition, no drive should contain a large number of CCNs, so these drives are all interesting.

An alternative is to assume that "false positives" are rare and focus on those drives with high response.




Only 7 drives had more than 300 credit card numbers.


With a "credit card number detector," we can rapidly identify drives with leaked consumer information.



Email Addresses




Email Addresses




Second-order analysis uses correlation techniques to identify drives of interest.

Cross Drive Correlation




Second-order analysis uses correlation techniques to identify drives of interest.

Cross Drive Correlation



In this example, three pairs of drive appear to be correlated.

Let's look at drives #171 and #172 again.



Cross-drive analysis tells us that #171 and #172 are from the same medical center. Drive #171: Development drive

• Has source code.

• 346 CCNS; 81 unique.

Drive #172: Production system.

- 31,348 CCNS; 11,609 unique
- Oracle database (hard to reconstruct).

The programmers used live data to test their system.

Second-order analysis:

Identifiers:

- CCNs
- Email addresses
- Message-IDs
- sector hashes

Possible Uses:

- Identifying new social networks
- Testing for inclusion in an existing network.
- Measuring dissemination of information

Reactions to this research:

Legislative: "Fair and Accurate Credit Transactions Act of 2003"

Technical: Modifications to MacOS & Windows



Current Research Projects

- Evaluating "big file" sanitization technique.
 - Scaling up cross-drive analysis
 - Continued development of AFF and AFFLIB
 - S/MIME
 - "Computation and Human Thought" book.

Long-term Agenda

- Fix security & privacy in current systems.
- Next-generation forensic tools.
- New tools for secure personal data management.
- Resolving privacy and ubiquitous data collection.

